





What kinds/purposes of questions?


- Guide students to develop their understanding and skills
- Formative assessment
- Learning activities
- Assess what students have learned
- Summative assessment
- Quiz/exam questions




















Descriptive statistics

I suspect that when I moved from PA to CA, the average IQ dropped in both states!
Is this possible?
What would have to be true (in principle) for this to happen?
Yes, if (my IQ > average IQ in PA) and (my IQ < average IQ in CA)

Suppose that Abby records the ages of customers at The Avenue (on-campus snack bar) from 11am-2pm today, while Mary records ages of customers at McDonald's (near freeway).

Who will have the larger standard deviation of customer ages: Abby or Mary? Explain.

Descriptive statistics

Arrange the four restaurants in order from smallest SD of ratings to largest SD of ratings

**Total Control Co

Example (adapted from Jay Lehmann):
 a) Which would be larger – the mean weight of 10 randomly selected people or the mean weight of 1000 randomly selected cats? Explain briefly.
 b) Which would be larger – the standard deviation of the weights of 1000 randomly selected people or the standard deviation of the weights of 10 randomly selected people

Descriptive statistics

Explain briefly.

Descriptive statistics

Many of my students think that larger sample size produces smaller SD

Do not realize that SD of the sample mean (or sample proportion) gets smaller as sample size increases

Advice: When you talk about SD, always emphasize SD of what

Descriptive statistics

■ Exam scores have mean 70, SD 8


□ Arturo's score is 75


□ Bella's score is 1.5 SDs above Arturo's


■ What is Bella's score on the exam? Show your work.


□ Concept: Measuring distance as number of SDs away from something


□ Not necessarily away from mean
















Sampling and experimentation


Random sampling and random assignment are different tools with different purposes


Random sampling
Goal: Select representative sample
Benefit: Generalize results


Random assignment
Goal: Produce similar groups
Benefit: Draw cause-effect conclusions






























Suppose that an alien lands on earth and sets out to estimate the proportion of human beings who are female
 The alien took a good statistics course on its home planet and knows to take a sample, produce a confidence interval
 Sample: the 2020 U.S. Senate, which has 26 women (the most ever!) and 74 men

Confidence intervals

• Calculate the alien's 95% CI

• $.26 \pm 1.96 \sqrt{\frac{26 \times .74}{100}}$, which is $.26 \pm .086$ • Interpret the CI for the alien

• The alien is 95% confident that between 17.4% and 34.6% of all humans are female.

• Is this interval consistent with your experience as a long-time resident of this planet?

• Duh!

Is the problem that 5% of all 95% CIs fail to
 continue actual value of population parameter.

Confidence intervals

capture actual value of population parameter?

• No!

- Then what went wrong???
- Biased sampling method!
- If the alien was only interested in estimating the proportion of 2020 U.S. Senators who are female, would this 95% CI make sense?
- No, exactly 26% of senators in 2020 are female!

Rossman presentation

CIVC webinar January 2020

Intervals and tests

 Survey of 47,000 U.S. households in 2006 found that 32.4% had a pet cat

Does this provide <u>very strong</u> evidence that the population proportion with a cat is different from one-third?

Does this provide strong evidence that the population proportion with a cat is <u>very</u> <u>different</u> from one-third?

Rossman presentation

AMATYC webinar January 2020

Intervals and tests

 Does this provide <u>very strong</u> evidence that the population proportion with a cat is different from one-third?

□ Yes! Test stat z ≈ -4.29, p-value ≈ .00002

Does this provide strong evidence that the population proportion with a cat is <u>very</u> <u>different</u> from one-third?

 $\hfill \hfill \hfill$

Rossman presentation AMATYC webinar January

Hypothesis test and confidence interval give consistent results
 Value one-third is rejected, does not appear in Cl
 Statistical significance is different from practical importance
 Especially relevant with large sample sizes

Intervals and tests

nar January 2020 45



"Ask Good Questions" blog

Ideas, examples, activities, assessments and advice for teaching introductory statistics

Two goals
Practical, for direct use with students
Thought-provoking, for discussion with peers

One post/essay per week
Published on Mondays at 11am ET, 8am PT
2000-3000 words per essay
28 so far, 24 (at least) more to come

